

PREMATURE UNINFECTED A REAL EXAMPLE



A bottom up approach to **CLÂBSI in the**

Dr Chiara Mardegan







Definition

Central Line Associated Blood Stream Infection (CLABSI)

 laboratory-confirmed bloodstream infection not related to an infection at another site, occurring in a patient with a central line in place or removed within the last 48 hours



Horan et al. Am J Infect Control. 2008





Hôpitaux Universitaires

Rational

Central venous catheters

- Frequently necessary in NICU
- Plays a critical role in administering essential medication, nutrition, and fluids
- Prone to complications, notably the risk of infections
 - Mortality
 - Morbidity
 - Health costs






Bowen et al. Arch Dis Child Fetal Neonatal Ed. 2017 Goudie et al. Pediatrics 2014 Cantay et al. Clin perinatol 2015









Hôpitaux Universitaires

Genève








The inverted pyramide








Promotion & Education








• Examining CLABSI retrospectively every 3 months

• Define and Monitor Indicators

- Sharing information with the team
 - \rightarrow newsletter









Catheter

Survey of CVC management



Need to reinforce good practices.

00


Ambiguity in specific CVC protocols








- Implement a systematic change of the entire infusion line to the main hub every 24 hours
- Strengthen the manipulation of hub scrubbing
- Add an extra needle-free connector to the main hub













 $\left(\right)$








Hôpitaux Universitaires

















INFECTIONS NOSOCOMIALES AVANT D'ENTRER DANS LA CHAMBRE, J'APPLIQUE LES BONNES PRATIQUES



Posters



Promotion & Education





Environment











Results


Hôpitaux Universitaires Genève



































Incidence of CLABSI in <32 weekers











Mortality





3 deaths in the period (Case Fatality Rate 15%)

NEC - Proteus mirabilis, CONS and K. aerogenes

All <32 weeks





Key points

Bottom-up	↓ to 3.2 CLABSI/	Potential applications	Maintain mo among hea provide
approch, differ from bundle	1000 cath days	Implication for future	Chall
Innovative Approach	Significant Results	Practice	













- •Valerie Sauvan
- •Karin Olearain
- •Catherine Vassant
- •Linda Laalej
- •Johanie Alves
- •Laetitia Ocampo
- •Sebastien Fau
- •Caroline Fonzo
- •Prune Bellue
- •Nathalie Bochaton
- Helène Leyder
- •Valerie Sauvan
- •Nataline Bochaton
- •Francisca Barcos
- •Marlene Abreu
- •Aline Gaudin
- •Delphine David
- •Karin Olearain
- •Flavia Mangeret
- •Yann Levi Jammet
- •Olivier Baud
- •Gaud Catho
- •Christelle Jacot-Descombes
- •Catherine Vassant
- •Gaud Catho
- •Aline Gaudin
- •Eric Giannoni